Tibial Tubercle Osteotomy with MPFL Reconstruction

Date of Surgery: _____

XX7 · 1	, D .
_	t Bearing
	x wks
	3 xwks
	% xwks
□WBA	='
□Brace	Locked in Ext x wks
ROM	
	DOM.
	ed full ext xwks
Locke	ed at° xwks
□rom	
° t	o° xwks
° t	o° xwks
° t	o °x wks
° t	o° xwks
	CDM
СРМ	
	° to° xwks
	° to° xwks 0° 120°/d @ dir
□30-7	° to° xwks 0° 120°/d @ dir
□30-7	° to° xwks 0° 120°/d @ dir
□30-7 □Non	° to° xwks 0° 介10°/d @ dir e
□30-7 □Non	° to° xwks 0° 10°/d @ dir e ommended Clinical
□30-7 □Non	° to° xwks 0° 10°/d @ dir e ommended Clinical
□30-7 □Non	° to° xwks 0° 10°/d @ dir e ommended Clinical
□30-7 □Non □Reco	° to ° xwks 0° 10°/d @ dir e mmended Clinical ines
□30-7 □Non □Reco Guideli WB:	° to° xwks 0° 10°/d @ dir e ommended Clinical
□30-7 □Non □Reco Guideli WB:	° to° xwks 0° û 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+
□30-7 □Non □Reco Guideli WB:	° to° xwks 0° 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2
□30-7 □Non □Reco Guideli WB: Brace:	° to° xwks 0° 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2
□30-7 □Non □Reco Guideli WB: Brace:	° to° xwks 0° 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2 0-45 weeks 0-2
□30-7 □Non □Reco Guideli WB: Brace:	° to° xwks 0° û 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2 0-45 weeks 0-2 0-90 weeks 3-6
□30-7 □Non □Reco Guideli WB: Brace:	° to° xwks 0° û 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2 0-45 weeks 0-2 0-90 weeks 3-6
□30-7 □Non □Reco Guideli WB: Brace:	° to° xwks 0° û 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2 0-45 weeks 0-2 0-90 weeks 3-6
□30-7 □Non □Reco Guideli WB: Brace:	° to° xwks 0° û 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2 0-45 weeks 0-2 0-90 weeks 3-6
□30-7 □Non □Reco Guideli WB: Brace:	° to° xwks 0° û 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2 0-45 weeks 0-2 0-90 weeks 3-6
□30-7 □Non □Reco Guideli WB: Brace: ROM:	° to° xwks 0° û 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2 0-45 weeks 0-2 0-90 weeks 3-6
□30-7 □Non □Reco Guideli WB: Brace: ROM:	or toor xwks or 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2 0-45 weeks 0-2 0-90 weeks 3-6 As tolerated 7-8
□30-7 □Non □Reco Guideli WB: Brace: ROM: □Prec	° to° xwks 0° û 10°/d @ dir e mmended Clinical ines TDWB weeks 0-6 WBAT weeks 8+ Locked in extension weeks 0-2 0-45 weeks 0-2 0-90 weeks 3-6 As tolerated 7-8

Weeks 0-2:

- Heel-touch weight bearing with crutches with brace locked in extension
- NO active knee extension; PASSIVE EXTENSION ONLY from 0-45 degrees with brace on
 - o Active knee flexion/hamstrings ok
- Brace set from 0-45 degrees and wearing at all times except for personal hygiene
- Heel slides, quad sets, patellar mobs, ankle pumps

Weeks 3-6:

- Continue heel-touch weight bearing and exercises from weeks 0-2
- NO active knee extension, PASSIVE EXTENSION ONLY may be increased from 0-90 degrees
 - o Active knee flexion/hamstrings ok
- Straight leg raise in brace with brace locked in full extension
- Focus on regaining full extension; brace may be removed at night
- Begin floor-based core, hip, gluteal work; advance quad sets and patellar mobs

Weeks 7-8:

- D/c brace and crutches as tolerated
- Advance weight bearing (25-50%/week) with goal of full weight bearing by 8 weeks
- Advance PROM AAROM AROM unrestricted with goal of full ROM by 8 weeks
- Stationary bike and straight leg raises; advance core/glut/hip work
- · Begin closed chain quads, progress balance

Weeks 9-16:

- Progress flexibility and strengthening; continue functional balance, core/glut program
- Progress closed chain quad program

• Advance bike work after 12 weeks; elliptical and swimming allowed at 14 weeks

Months 4+:

- Impact activity progression allowed (Alter-G/pool running normal jogging)
- Maximize single leg dynamic and static balance
- Gluteal/pelvic stability/core and closed chain quadriceps program with transition to HEP
- Sport specific training once cleared by MD